




Item Name	MTE-001
Material	ABS, PS + electroplated
Quantity	40 pcs. / 44 pcs
Color	
Surface Treatment	electroplated
MOQ	2000 pcs
Lead Time	7-8 weeks
Production Method	Handcraft
Payment Terms	T / T, PayPal, Western Union, etc.
Shipping Terms	EXW, FOB, CNF, DDU
Notes	1. 1pc PE 2. 10 3. K = K 4.
Notes	1. 1. 1pc PE 2. 10 3. K = K 4. 10 5.







metal logo




print logo



laser, then add color



laser first, then paint



hot stamping logo

*** * □□□□□□□□□□□□□□□□□□□□
 *** * □□□□□□□□□□□□□□□□□□□□
 *** * □□□□□□□□□□□□□□□□□□□□
 *** * □□□□□□□□□□□□□□□□□□□□
 *** * □□□□□□□□□□□□□□□□□□□□





Velvet



Electroplante



Rubber coated

common plastic



Limitation wood grain

electroplated: Electroplating is a process of coating a metal surface with a thin layer of another metal. This is done by immersing the object in a solution containing ions of the metal to be deposited. An electric current is then passed through the solution, causing the metal ions to be reduced and deposited onto the object's surface. Electroplating is used for various purposes, including corrosion protection, decorative finishes, and improving electrical conductivity.

Electroplating is a process of coating a metal surface with a thin layer of another metal. This is done by immersing the object in a solution containing ions of the metal to be deposited. An electric current is then passed through the solution, causing the metal ions to be reduced and deposited onto the object's surface. Electroplating is used for various purposes, including corrosion protection, decorative finishes, and improving electrical conductivity.



We are always committing to improvements in technology and production. Meantime upgrade and adapt market changes.



We order cartons according to hanger size, with custom shipping mark print, and the best way to protect hanger in transit.



FAQ--

Q: 1. How long is the lead time for your hangers?

A: 1. The lead time for your hangers depends on the quantity and the complexity of the design. Generally, it takes 15-20 days for the standard hangers and 20-30 days for the custom hangers. / We can provide you with a detailed lead time schedule.

Q: 2. How do you ensure the quality of your hangers?

0000: 000000000000 150 00, 00000000 2 000000000 - 000000, 3 00000 - 0000000000000000 5qc 000



0000000000000000000000000000000000 "000"00

000000000000 0000000000