



WSV-004	WSV-004
Material	ABS PS PP
Dimensions	32 x 40 :mm
Weight	mm
Quantity	mm
Material	1000 mm
Material	7-10 mm
Material	mm
Material	mm & mm
Material	mm x mm mm x mm x mm x mm
Material	1.1pc PE 1 PC 2.10pcs mm mm = mm .3 mm .4
Material	15000-30000 mm
Material	30-35 mm
Material	t / t paypal mm mm mm
Material	mm
Material	1. mm mm .2 mm .3 4.Changeable mm mm mm mm mm mm .5









Velvet



Electroplante

common plastic



Rubber coated



Limitation wood grain



1. The first step is to identify the material used for the hanger. This is important because different materials have different properties and require different care instructions.

2. Once the material is identified, the next step is to determine the best cleaning method. For example, velvet hangers should be cleaned with a soft brush and a mild detergent, while electroplated hangers should be cleaned with a soft cloth and a mild detergent.

3. After cleaning, it is important to dry the hanger properly. For velvet hangers, this means hanging them in a well-ventilated area. For electroplated hangers, this means drying them with a soft cloth.

4. Finally, it is important to store the hangers properly. This means hanging them in a well-ventilated area and avoiding contact with other items.





We are always committing to improvements in technology and production. Meantime upgrade and adapt market changes.



We order cartons according to hanger size, with custom shipping mark print, and the best way to protect hanger in transit.



Yuntong Hanger is a professional manufacturer of various types of hangers, including plastic, velvet, and metal hangers. We have a rich experience in the industry and a complete production line. Our products are widely used in clothing stores, hotels, and other places. We are committed to providing high-quality products and excellent service to our customers. If you have any needs, please contact us.



