







XXXXXXXXXX

X

XX

XXXXXXXXXX:

XX

XXXXXXXXXX:

XXXXXXXXXXXXXXXXXXXX (XXXX) XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX (XXXXXXXXXXXX)XXXXXXXXXX XXXXXXXXXXXXX.

XXXXXX



Metal plate logo



Laser logo in other color



Laser logo before paint



Laser logo before paint



Laser logo after paint




Silk-screen print logo

- 1 2 3

- 1. 包裝材料之選擇應以保護產品為首要原則
- 2. 包裝材料之選擇應以產品之特性為主要考量
- 3. 包裝材料之選擇應以產品之數量為主要考量
- 4. 包裝材料之選擇應以產品之價值為主要考量



PE Foam Bag



1pc Hanger with 1pc Bag



Place Layer by Layer



K=K Carton with Shipping Mark

包裝材料之選擇應以保護產品為首要原則 K = K 包裝材料之選擇應以產品之特性為主要考量



Yuntong Yuntong 2007 5 10

environmental.we 80%

commodity.what

environmental.we 80%

commodity.what

QUESTION

Q:

A:

Q:

A: 2 3 5 150 QC

Q:

A:

Q:

A:

Q:

A:

Q:

A:

Q:

A: IE IP DHL UPS EMS TNT

Q:

A:

QUESTION

" "