

□□□□□□□□□□	□□□□□□□□□□□□□□□□
MOQ	□□□□□□□□□□ 1000 □□□□
□□□□□□□□□□	□□□□□□
□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □
□□□□□□□□□□□□□□	100000-200000 □□□□□□□□
□□□□□□□□□□□□	35-45 □□□□
□□□□□□□□□□□□□□□□	T / T, PayPal, West Union □□□□□□ □ □□□□□□□□□□□□□□□□□
□□□□□□□□	□□□□□□□□□□□□□□□□□□□□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □



	1. 選擇合適的掛衣桿材料 2. 選擇合適的掛衣桿直徑 3. 選擇合適的掛衣桿長度 4. 選擇合適的掛衣桿顏色 5. 選擇合適的掛衣桿安裝位置 6. 選擇合適的掛衣桿安裝方式 7. 選擇合適的掛衣桿安裝高度 8. 選擇合適的掛衣桿安裝角度 9. 選擇合適的掛衣桿安裝環境 10. 選擇合適的掛衣桿安裝時間
---	--

1. 選擇合適的掛衣桿材料
 2. 選擇合適的掛衣桿直徑
 3. 選擇合適的掛衣桿長度
 4. 選擇合適的掛衣桿顏色
 5. 選擇合適的掛衣桿安裝位置
 6. 選擇合適的掛衣桿安裝方式
 7. 選擇合適的掛衣桿安裝高度
 8. 選擇合適的掛衣桿安裝角度
 9. 選擇合適的掛衣桿安裝環境
 10. 選擇合適的掛衣桿安裝時間

1. 選擇合適的掛衣桿材料
 2. 選擇合適的掛衣桿直徑
 3. 選擇合適的掛衣桿長度
 4. 選擇合適的掛衣桿顏色
 5. 選擇合適的掛衣桿安裝位置
 6. 選擇合適的掛衣桿安裝方式
 7. 選擇合適的掛衣桿安裝高度
 8. 選擇合適的掛衣桿安裝角度
 9. 選擇合適的掛衣桿安裝環境
 10. 選擇合適的掛衣桿安裝時間

Hanger 1. 選擇合適的掛衣桿材料

1. 選擇合適的掛衣桿材料
 2. 選擇合適的掛衣桿直徑
 3. 選擇合適的掛衣桿長度
 4. 選擇合適的掛衣桿顏色
 5. 選擇合適的掛衣桿安裝位置
 6. 選擇合適的掛衣桿安裝方式
 7. 選擇合適的掛衣桿安裝高度
 8. 選擇合適的掛衣桿安裝角度
 9. 選擇合適的掛衣桿安裝環境
 10. 選擇合適的掛衣桿安裝時間

1. 選擇合適的掛衣桿材料
 2. 選擇合適的掛衣桿直徑
 3. 選擇合適的掛衣桿長度
 4. 選擇合適的掛衣桿顏色
 5. 選擇合適的掛衣桿安裝位置
 6. 選擇合適的掛衣桿安裝方式
 7. 選擇合適的掛衣桿安裝高度
 8. 選擇合適的掛衣桿安裝角度
 9. 選擇合適的掛衣桿安裝環境
 10. 選擇合適的掛衣桿安裝時間

Packaging

The diagram illustrates the packaging process for hangers. It starts with a rack of finished hangers, labeled 'hanger finshed'. These hangers are then packed into a box, labeled 'every hanger packed in one PE foam'. The final step shows the box with a printed label, labeled 'print Mark & details'.


hanger finshed

every hanger packed in one PE foam

print Mark & details

[illegible]

Express





Ø

Ø --- Yuntong Yuntong Hanger Factory 2007

Ø ---

shop.Our 'shop.

Ø ---

Ø

Ø ---

Ø

Ø ---

hanger flocked





□□□□□



Tel: +86-755-28750513

Email: info@ythanger.com

What'app: +8615274673580

skype: +8615274673580

welelcome for your contact~