





Metal Hook



Metal Clip



Logo



metal plate logo

printing logo



engrave logo(no painting)

engrave logo(painting)

-**metal plate logo**: metal plate is attached to the hanger by screws. The logo is engraved on the metal plate. This method is suitable for logos that are not too large and do not require painting.

-**printing logo**: the logo is printed directly on the hanger material. This method is suitable for logos that are large and require painting. However, the logo may fade over time.

-**engrave logo(no painting)**: the logo is engraved directly into the hanger material. This method is suitable for logos that are not too large and do not require painting. However, the logo may be difficult to read if the hanger material is too dark.

-**engrave logo(painting)**: the logo is engraved into the hanger material and then painted. This method is suitable for logos that are large and require painting. However, the logo may be difficult to read if the hanger material is too dark.




Yuntong Hanger International Co., Limited



1. 选择优质木材，进行干燥处理。2. 根据规格进行切割。3. 使用刨床进行刨削。4. 手工打磨。5. 使用砂纸进行打磨。6. 抛光处理。7. 涂漆。8. 干燥。9. 检查质量。10. 包装。

Taiho, 4 涂层 2 undercoating 2 topcoating artware



15-25 [Redacted]

20-30 [Redacted]

14-18 [Redacted]

[Redacted]

- 1. [Redacted]
- 2. [Redacted] KALTENDIN, CK, Cyrus
Satchi, Tory Burch [Redacted]
- 3. [Redacted]
- 4. [Redacted]
- 5. [Redacted]: [Redacted] partner [Redacted]
- 6. [Redacted]
- 7. [Redacted]
- 8. [Redacted] you.any [Redacted]
- 9. [Redacted]
- 10. [Redacted]

[Redacted]

[Redacted] n:

[Redacted] Co., Ltd

□□□□□□□□□□□□□□□□ □□□□□□□□□□

E-mail: info@ythanger.com / yt011@ythanger.com

Tel: + 86 755 28750513

Limily